

Down to Earth (DTE) Primary Usage:

- As the Primary/Standard, it must always be used as a whole as seen here.
- It should always maintain the proper spatial relationships as designed (height, sizing, centering, stroked, and modified) as provided.

DTE Formats Supplied

The DTE logotypes are supplied in the following formats for maximum usage:

- **Print formats** (4-color Process) (used for quality reproduction such as Publications, Outdoor, Premium Items, etc)
- On-screen formats (RGB) (used for Web and internal applications such as PowerPoint, Word, etc)
- Folders are named by Print, and On-Screen.
- Print formats are .EPS
 On-Screen/Web formats are JPG & PNG
 Filenames used are indicated near each example.
- Both the .EPS (Print) and .PNG (On-screen) versions are formats with a transparent background that view and act with its true shape on different backgrounds.

2-Color Format Breakdowns

Primary Format, 4-color Process (CMYK):

- 15% cyan, 30% magenta, 60% yellow, 34% black
- 55% cyan, 18% magenta, 58% yellow, 18% black

RGB & Hex:

- r154 g127 b85 Hex: 9a7f55
- r 105 g145 b112 Hex: 6a9271

For other colors in the entire palette, see pages 2 & 4.



And Up To Great Things

dtePB-4c.eps • dtePB-rgb.jpg, .png

1-Color Format



dtePB-bw.*eps* dtePB-bw-rgb.*jpg*, .*png*

Reversed Format (White)



dtePB-rev.eps dtePB-rev-rgb.png

Box for preview purpose only

2-Color Alternate Format (4c-process mix)



dte-4c.eps • dte-rgb.jpg, .png

1-Color Alternate Format



dte-bw.eps dte-bw-rgb.jpg, .png

Reversed Alternate Format

(White)



dte-rev.eps dte-rev-rgb.png

Box for preview purpose only

Fonts: James Fajardo. Gotham Condensed Book. Type has been converted to outlines (art) in all logo files supplied and is correctly kerned, spaced, modified and stroked.

Electronic Files. Vector: Illustrator cs3 EPS. Raster: JPG, PNG

Contact: Julian Bennett • Brandt Ronat + Co (321) 453.3101 • Fax (321) 453.3191 • julian@brc60.com



Environmental Neutrals Color Palette:

- All acceptable colors within the palette for use as needed to expand the spectrum of earth tones.
- Use deeper tones for type/text and solid fill
- Colors are specified in 4-color breakdowns as well as in Hex (Hexadecimal) for web.



Alternate Evironmental Neutral Color Usage of the Primary Format



30% black

Hex: 959a8f

33% black

Hex: 49855e





Hex: 57744b

8% black

Hex: 8e8177





Down to Earth (DTE) Secondary Usage:

- As a Secondary format, it must always be used as a whole as seen here.
- It should always maintain the proper spatial relationships as designed (height, sizing, centering, stroked, and modified) as provided.
- Use for circumstances where logo must be within certain layout constraints or as needed for visual emphasis.

Environmental Neutrals Color Palette



Secondary Formats











Secondary DTE Taglines



















Secondary (Brights) Color Palette:

- This is a complimentary color palette for use in conjunction with the Evironmental Neutral Tones to expand options.
- Colors are specified in 4-color breakdowns as well as in Hex (Hexadecimal) for web.

Environmental Neutrals Color Palette







56% cyan 22% magenta 0% yellow 0% black Hex: 6baadf

34% cyan 0% magenta 11% yellow 0% black Hex: a4dbe2